

# Calypso

14 14A 16




**RACE, CRUISE, SURF OR FUNSAIL  
WITH THE CALYPSO RANGE OF  
QUALITY CATAMARANS**



# Calypso 14

The most versatile 14' Cat  
and best Cat value afloat




## CALYPSO 14

Available as the budget priced "Standard" with rugged aluminium shallow draft keels and a central mainsheet or "Racing" with deep kick-up rudders and roller furler. The "Rocket" comes complete with jib, diamond stays and trapeze for the ultimate versatility of one-up racing performance as well as family fun sailing. Calypso 14 has the performance to race competitively in the "14" fleet, and the ruggedness, comfort and large sealed storage lockers to make an ideal family-cruising boat.

# Calypso 14A

The one-up trapeze  
high performance Cat




## CALYPSO 14A

A pure racing cat with high aspect ratio sail and a full complement of sophisticated sail and mast controls, including a semi-radial furler. Consistently faster in all wind conditions, with superb windward performance, the 14A is a challenge for the discerning racing enthusiast. She has been designed for the loner who likes to lead the fleet and wants a cat small enough to handle easily, and without needing a crew. There are no extras — it's all there!

# Calypso 16

The twin trapeze high performance  
racing-cruising Cat



## CALYPSO 16

A fully equipped, powerful racing craft which, in the hands of the enthusiast, will keep pace with the best of the "16s", yet does not forget the cruising, family fun sailor, with comfort-contoured side decks, large sealed storage lockers and vice-free performance in the heaviest wind and sea conditions. She is equally at home clawing windward in a closely fought club race, blasting through the surf in a blow, or cruising to an island with the whole family on board.

## DESIGN FEATURES

Sh trampoline and side decks with contoured outer edges and antiskid texture give comfortable treading or trapezing in light and heavy conditions. Storage lockers with sealed hatches double as buoyancy tanks. Allow skeg keels resist leeway but do not impair tacking. Masts are sealed and fitted with steps designed for easy one-man raising. Riggers on "14 Standard" are rugged cast aluminium for worry-free off-the-beach sailing. Deep aerofoil rudders with unique 3 position resilient kick-up system (Pat. Pend.) are easy to operate and ideal for jellyfish waters and surf beach take-offs. Sails are asymmetrical for reduced drag in turns. An aerofoil foam filled masthead float is available for ease of righting and resistance to turning turtle. A useful safety feature for beginners or if sailed by children.

## CONSTRUCTION

Hand laid fibreglass throughout for optimum strength to weight ratio. Glassed in longitudinal and transverse bulkheads give rigidity and take loads at the critical crossbeam and chainplate areas. Crossbeams are bolted through heavily reinforced areas into stainless steel plates. Rudder fittings are also backed up with plates. The forward crossbeam is pre-stressed with a powerful adjustable dolphin striker to take mast compression loads. Sails of top quality Imported Dacron, black mesh trampoline, anodised aluminium extrusions and fibreglass battens complete the complement of construction features to give you a catamaran with no short-cuts on quality and minimum maintenance.

# SPECIFICATIONS & EQUIPMENT

|                          | CALYPSO 14          |                        |                    | CALYPSO 14A                                | CALYPSO 16                                |
|--------------------------|---------------------|------------------------|--------------------|--------------------------------------------|-------------------------------------------|
| Length overall           | 4.17m               | (13'8")                |                    | 4.17m (13'8")                              | 4.95m (16'3")                             |
| Beam                     | 2.29m               | (7'6")                 |                    | 2.29m (7'6")                               | 2.44m (8'0")                              |
| Weight Rigged (approx.)  | 96 kg               | (210 lbs)              |                    | 97 kg (214 lbs)                            | 143 kg (315 lbs)                          |
| Mast Height              | 6.7m                | (22'0")                |                    | 7.93m (26 ft)                              | 8m (26'3")                                |
| Mainsail Area            | 11.14m <sup>2</sup> | (120 ft <sup>2</sup> ) |                    | 12.45m <sup>2</sup> (134 ft <sup>2</sup> ) | 14.4m <sup>2</sup> (155 ft <sup>2</sup> ) |
| Jib Area(std. on Rocket) | 3m <sup>2</sup>     | (33 ft <sup>2</sup> )  |                    |                                            | 4.18m <sup>2</sup> (45 ft <sup>2</sup> )  |
| Stowage                  | 0.14m <sup>3</sup>  | (5 cu.ft)              |                    | 0.14 <sup>3</sup> (5 cu.ft)                | 0.23m <sup>3</sup> (8 cu.ft.)             |
|                          | STANDARD            | RACING                 | ROCKET             |                                            |                                           |
| Rudders                  | Aluminium Disc      | Kick-up                | Kick-up            | Kick-up                                    | Kick-up                                   |
| Tiller Extension         | P.V.C.              | P.V.C.                 | P.V.C.             | Telescopic                                 | Telescopic                                |
| Jib & Furler             | Optional            | Optional               | Standard           | N/A                                        | Standard                                  |
| Trapeze                  | N/A                 | N/A                    | Standard           | Retractable-Std.                           | Two                                       |
| Roller Traveller         | Optional            | Standard               | Standard           | Semi-radial                                | Standard                                  |
| Loose Footed Mainsail    | N/A                 | N/A                    | N/A                | Standard                                   | Standard                                  |
| Main Outhaul             | Pre-set             | Pre-set                | Pre-set            | 3:1 Adjustable                             | 3:1 Adjustable                            |
| Main Downhaul            | Pre-set             | Pre-set                | Pre-set            | 6:1 Adjustable                             | 6:1 Adjustable                            |
| Mainsheet System         | 4:1 with cam cleat  | 6:1 with cam cleat     | 6:1 with cam cleat | 6:1 Roller Ratchet                         | 6:1 Roller Ratchet                        |
| Mast Spanner             | N/A                 | N/A                    | N/A                | Standard                                   | Optional                                  |
| Multicoloured Sails      | Optional            | Standard               | Standard           | Single Colour                              | Optional                                  |
| Masthead Float           | Optional            | Optional               | Optional           | N/A                                        | N/A                                       |

**Ask about the CALYPSO TRAILER SAIL BOX and ROLL-A-CAT Beach Rollers, designed to add to your sailing convenience**



## DESIGNED AND MANUFACTURED IN QUEENSLAND BY **CALYPSO SAILCRAFT**

113 CONNAUGHT STREET, SANDGATE, QUEENSLAND  
4017 TELEPHONE (07) 269 3929



**YOUR DEALER:—**

**PLEASE NOTE:—**

We reserve the right to vary specifications without notice. Colours may vary from time to time, as we have no control over variations in gel-coats or sail cloths.

**COLORTONE** by Wilke Printers (Qld) Pty. Limited